

2024

**AWNING AND PERGOLA
PRICE LIST**



menu

VIP	2
awning modesto fill - without cassette	3
estilo fill awning - half cassette	5
elegante fill awning - cassette	7
varnishing - awning	9
spare parts - awning	9
fabric price lists	9
technical data - awning	10
installation materials - awning	11
drives - awning	12
optional control	13
wall mounted fill lamella pergola	14
freestanding fill lamella pergola	17
fill pergola roof	20
STANDARD	23
pergola sono -lamel free-standing, manual + led	24
pergola moderna - fabric wall mounted, electric + led	27
pergola esclusivo - fabric freestanding, electric + led	29

VIP

AWNING MODESTO FILL - WITHOUT CASSETTE

- » Maximum dimensions: wide 1200 cm x 350 cm overhang
- » Manual drive or electric for an extra charge





AWNING MODESTO FILL - WITHOUT CASSETTE


CHARACTERISTICS

As standard	For a surcharge	Construction colors
Manual drive - crank Crank of your choice: 1000mm, 1500mm, 1800mm, 2000mm, 2500mm	Rafter brackets Electric drive Front support 840 zł / pair [color anode]	<ul style="list-style-type: none"> ▶ Tiger anthracite [029/71334] ▶ Gray Brown [RAL 8019] ▶ White [RAL 9016] ▶ Silver [RAL 9006] ▶ Black [RAL 9005]
Wall brackets, ceiling bracketsec	Varnishing of the structure (page 9)	<p>Note! The actual color of the design may differ slightly from the printout</p>
Valances		
Set tilt angle 15%		

SPECIFICATION



Valances:



		overhang [cm]				
		150	200	250	300	350
Folded awning	240	2115	-	-	-	-
	300	2294	2457	2618	-	-
	360	2774	2961	3145	-	-
	420	2854	3064	3273	3657	3988
	480	2991	3225	3457	3865	4219
	540	3642	3922	3804	4236	4694
	600	4293	4246	4690	5575	5472
	660	4772	5122	5216	6124	6633
	720	4909	5282	5400	6332	6864
Partitioned awning*	780	-	-	6369	6930	7485
	840	-	-	6514	7098	7677
	900	-	-	6692	7804	8490
	960	-	-	6919	8055	8764
	1020	-	-	7528	8908	9640
	1080	-	-	7753	9157	9913
	1140	-	-	8017	9444	10224
	1200	-	-	8690	10141	10944

Required drive
electric

1000
SURCHARGE
FOR TWI-
STING

Use of
number of arms

2 arms

3 arms

4 arms

5 arms

*Required propulsion, awning with a longshore in two parts with fabric wound separately after overhang in a package.

ESTILO FILL AWNING - HALF CASSETTE

- » Half cassette: When folded, it provides protection for the fabric from the harmful effects of the weather conditions
- » Maximum dimensions: wide 720 cm x 400 cm overhang
- » Manual drive or electric for an extra charge




ESTILO FILL AWNING - HALF CASSETTE

CHARACTERISTICS


As standard	For a surcharge	Construction colors
Manual drive - crank Crank of your choice: 1000mm, 1500mm, 1800mm, 2000mm, 2500mm	Rafter brackets	<ul style="list-style-type: none"> ▶ Tiger anthracite [029/71334] ▶ Gray Brown [RAL 8019] ▶ White [RAL 9016] ▶ Silver [RAL 9006] ▶ Black [RAL 9005]
	Electric drive	
	Front support 840 zł / pair [color anode]	
Wall brackets, ceiling bracketsec	Varnishing of the structure (page 9)	<p>Note! The actual color of the design may differ slightly from the printout</p>
Valances		
Set tilt angle 15%		

SPECIFICATION




		overhang [cm]					
		150	200	250	300	350	400
width [cm]	240	2570	-	-	-	-	-
	310	2879	3046	3376	-	-	-
	360	3300	3487	3836	-	-	-
	420	3835	4045	4418	4638	4969	-
	480	3932	4166	4563	4806	5160	6765
	540	4700	4980	5030	5297	5675	7303
	600	5433	5390	5938	6255	6098	7750
	660	6184	6534	6736	7077	7585	9969
	720	6281	6655	6880	7245	7777	10183

Valances:



Use of
number of arms



ELEGANTE FILL AWNING - CASSETTE

- » Cassette: when folded, provides full protection of the fabric and arms from the harmful effects of the weather
- » Maximum dimensions: wide 540 cm x 300 cm overhang
- » Manual drive or electric for an extra charge




AWNING ELEGANTE FILL - CASSETTE

CHARACTERISTICS

As standard	For a surcharge	Construction colors
Manual drive - crank* Crank of your choice: 1000mm, 1500mm, 1800mm, 2000mm, 2500mm <i>(Plastic cassette sides)</i>	Rafter brackets	<ul style="list-style-type: none"> ▶ Tiger anthracite [029/71334] ▶ Gray Brown [RAL 8019] ▶ White [RAL 9016] ▶ Silver [RAL 9006] ▶ Black [RAL 9005]
	Electric drive <i>(Metal sides of the cassette)</i>	
Front support 840 zł / pair [color anode]		
Wall brackets, ceiling bracketsec Set tilt angle 15%	Varnishing of the structure (page 9)	<p>Note!</p> <p>The actual color of the design may differ slightly from the printout</p>

SPECIFICATION



		overhang [cm]			
		150	200	250	300
width [cm]	240	3378	-	-	-
	300	3976	4153	4504	-
	360	4197	4398	4775	-
	420	-	4997	5399	5636
	480*	-	5145	5573	5835
	540*	-	5847	5943	6231

Use of
number of arms

2 arms

*When the awning is closed, a slight gap may appear.

FABRIC PRICE LISTS

MILANO		Width									
		< 245	< 360	< 475	< 590	< 705	< 820	< 935	< 1050	< 1165	1280
QUANTITY OF BRITES		2	3	4	5	6	7	8	9	10	11
Awning	150	586	750	914	1079	1243	1408	1571	1736	1900	2065
	200	662	864	1066	1269	1471	1674	1876	2079	2281	2483
	250	738	979	1219	1460	1700	1940	2180	2421	2661	2902
	300	814	1093	1371	1650	1928	2207	2485	2764	3042	3321
	350	890	1207	1523	1840	2156	2473	2789	3106	3423	3740
	400	936	1276	1615	1954	2293	2633	2972	3312	3651	3991
	Overhang										

SURCHARGES

➤ Fabric Roma

7%

VARNISHING - AWNING

Each RAL color - table below - calculated fixed price to one awning. Tiger colors + 30%.

Width	Cost of painting
do 4,2 mb	315,00 zł
do 7,2 mb	540,00 zł
do 9,6 mb	720,00 zł
< 9,6 mb	900,00 zł

SPARE PARTS - AWNING

Awning type	Bracket wall	Bracket ceiling	Bracket rafter	Bracket arms
Modesto Estilo	75	85	120	195

Available colors of spare parts: White, Silver, brown, anthracite

Arms	Overhang [m]					
	1,5	2	2,5	3	3,5	4
Modesto	689	735	963	1014	1208	X
Estilo	689	735	963	1014	1208	2316
Elegante	689	735	963	1014	X	X

TECHNICAL DATA - AWNING

Type awnings	Width [cm]	Brackets		
		Wall and Ceiling	Central	Quantity lumps fabrics
Modesto Estilo	240-300	2	0	3
	301-360	2	0	3
	361-480*	3	0	4
	481-540**	4	1	5
	541-600	4	1	5
	601-660	5	1	6
	661-720	5	1	6
	721-780	5	1	7
	781-840	5	1	7
	841-960	6	1	8
	961-1020	6	2	9
	1021-1080	6	2	9
	1081-1200	7	2	10

*with a width of 480 cm we use 4 wall and ceiling brackets.

**for widths 481-540, add a center bracket.

INSTALLATION MATERIALS - AWNING

	Description	Price	Consumption per one handle	Application
Pin (Rod, nut, washer)	Ø 12 x 150 mm	9,00 /set	2	Installation without insulation
	Ø 12 x 300 mm	11,00/set	2	Insulation max 15 cm
Glue	KOELNER 300 ml	56,00/pcs.	Ok. 50 ml	All types of substrates
Bushing + washer	Ø 50 x 110 mm	25,00/pair	1	Insulation 5 - 11 cm
	Ø 50 x 160 mm	38,00/pair	1	Insulation 12 – 16 cm
	Ø 50 x 210 mm	48,00/pair	1	Insulation 17 – 21 cm
1 mb + 9 washers	Ø 50 x 1000 mm	111,00/pair	-	Customized solutions

MOUNTING ACCESSORIES*

Name	Products – Insulation 15 cm	Price
Set 1 2 handles	PINE [Ø 12 x 300 mm] – 4 set GLUE 300ML – 2 pcs. BUSHING + WASHER [Ø 50 x 210 mm] – 2 pary	252 zł
Set 2 3 handles	PINE [Ø 12 x 300 mm] – 6 set GLUE 300ML – 2 pcs. BUSHING + WASHER [Ø 50 x 210 mm] – 3 pary	322 zł
Set 3 4 handles	PINE [Ø 12 x 300 mm] – 8 set GLUE 300ML – 3 pcs. BUSHING + WASHER [Ø 50 x 210 mm] – 4 pary	448 zł
Set 4 5 handles	PINE [Ø 12 x 300 mm] – 10 set GLUE 300ML – 4 pcs. BUSHING + WASHER [Ø 50 x 210 mm] – 5 par	574 zł

Name	Products – lack of insulation	Price
Set 5 2 handles	PINE [Ø 12 x 150 mm] – 4 set GLUE 300ML – 2 pcs.	148 zł
Set 6 3 handles	PINE [Ø 12 x 150 mm] – 6 set GLUE 300ML – 2 pcs.	166 zł
Set 7 4 handles	PINE [Ø 12 x 150 mm] – 8 set GLUE 300ML – 3 pcs.	240 zł
Set 8 5 handles	PINE [Ø 12 x 150 mm] – 10 set GLUE 300ML – 4 pcs.	314 zł

*No mounting accessories included.

DRIVES - AWNING



Awning MODESTO - WITHOUT CASSETTE

WIRED MOTOR	[without crank]		
	Wide [cm]	Catalog no.	Price
	do 480	Solus 2 PA 30/12 [1045775]	860
	do 600	Solus 2 PA 40/12 [1049886]	939
=od 840	LT 60 Titan 100/12 [1166025]	1580	
NHK [with crank]			
=od 840	LT 60 Titan 100/12 NHK [1166010]	1890	
ENGINE iO	[without crank]		
	do 480	Sunea 50 io 40/17 [1117224]	1650
	do 600	Sunea 60 io 70/17 [1182208]	1859
	=od 800	Sunea 60 io 100/12 [1184102]	2029
	od 800	Sunea 60 io 120/12 [1184111]	2155
	NHK [with crank]		
	do 480	Sunea 50 CSI io 30/17 [1115271]	1974
=od 480	Sunea 50 CSI io 50/12 [1118213]	2129	

Awning ESTILO - SEMI-CASSETTE

WIRED MOTOR	[without crank]		
	Wide [cm]	Catalog no.	Price
	do 480	Solus 2 PA 30/12 [1045775]	860
do 600	Solus 2 PA 40/12 [1049886]	939	
=od 840	LT 60 Titan 100/12 [1166025]	1580	
ENGINE iO	[without crank]		
	do 480	Sunea 50 io 40/17 [1117224]	1650
	do 600	Sunea 60 io 70/17 [1182208]	1859
	=od 600	Sunea 60 io 100/12 [1184102]	2029
	NHK [with crank]		
	do 480	Sunea 50 CSI io 30/17 [1115271]	1974
	=od 480	Sunea 50 CSI io 50/12 [1118213]	2129

Awning ELEGANTE - CASSETTE

WIRED MOTOR	[without crank]		
	Wide [cm]	Catalog no.	Price
	do 480	Solus 2 PA 30/12 [1045775]	860
	do 600	Solus 2 PA 40/12 [1049886]	939
=od 840	LT 60 Titan 100/12 [1166025]	1580	
ENGINE iO	[without crank]		
	do 480	Sunea 50 io 40/17 [1117224]	1650
	=do 480	Sunea 60 io 70/17 [1182208]	1859
	NHK [with crank]		
	do 480	Sunea 50 CSI io 30/17 [1115271]	1974
	=od 480	Sunea 50 CSI io 50/12 [1118213]	2129

OPTIONAL CONTROL

	Product	Photo	Price
somfy®	Eolis WireFree io - wind sensor for facade facade [1816084].		642
	Eolis 3D WireFree io - shock Wind Sensor - White/Black/Grey [9016355/9016354/9016353].		760
	Sunis WireFree II io solar sensor [Works with Tahoma Switch] [1818285].		580
	Situo 1-channel portable remote control io II Pure		223
	Situo 5-channel portable remote control io II Pure		351
	Situo 5 Var A/M io Pure II [1870369].		512
	Smooove Origin io wall remote with Pure frame		238
	TaHoma Switch		1047
	WIRED SYSTEM Soliris wind and solar sensor + Soliris smooove uno pure [9154080 + 1818305]. - sale as a set		1206
	WIRED SYSTEM ONDEIS rain sensor + Soliris smooove uno pure [9016345 + 1818305] - selling as a set		1762
OSPTEL®	ARIA key switch with hold, with frame [White].		48
	Key switch ARIA with hold, with frame [matte gray].		66
	ARIA key switch with hold, with frame [Black metallic].		66

WALL MOUNTED FILL LAMELLA PERGOLA

- » Construction color : Tiger Anthracite [029/71334], RAL
- » Other colors For a surcharge 10 % lub 20 % [individual pricing of powder]



WALL MOUNTED FILL LAMELLA PERGOLA

	Width [cm]						
	100	150	200	250	300	350	400
240	12105	13384	15262	16542	18032	19927	21427
260	12584	13942	15929	17290	18862	20866	22452
280	13063	14498	16597	18039	19692	21807	23475
300	13540	15058	17265	18784	20523	22747	24498
320	14019	15617	17932	19532	21355	23687	25521
340	14498	16173	18600	20281	22183	24628	26546
360	14975	16731	19269	21027	23015	25568	27567
380	15454	17291	19935	21774	23846	26507	28592
400	15933	17847	20604	22523	24674	27448	29615
420	16410	18406	21272	23269	25506	28388	30637
440	16889	18964	21938	24017	26336	29327	31661
460	17368	19522	22607	24765	27166	30268	32685
480	17845	20080	23274	25511	27997	31210	33707
500	18824	21606	23941	26260	28828	32148	34731
520	19287	22162	24609	27007	29657	33089	35755
540	21453	23923	26786	29265	31746	35053	37541
560	21928	24479	27456	30016	32577	35998	38552
580	22404	25032	28128	30767	33406	36946	39580
600	22877	25588	28799	31518	34237	37894	40605

Price includes: constructions, feathers, transmission mechanism, handles

Overhang is performed at intervals of every 20 cm.

Height system in the light is at most 280 cm.

DRIVERS

» Elero wired drive	2880/pcs.
» SOMFY Receiver – Pergola Slim receiver io + plug [1811584]	814/pcs.
» Portable remote control Situo 1-channel io II Pure	242/pcs.
» Portable remote control Situo 5-channel io II Pure	384/pcs.
» Portable remote control Situo 1 Var io Pure II	385/pcs.
» Portable remote control Situo 5 Var A/M io Pure II	512/pcs.
» Crank Cardan 45° with ear*	390/pcs.
» Crank Cardan 45° with bell hook*	490/pcs.

SURCHARGES







» LED roof lighting(counted around the perimeter of the roof)	133 zł/mb
» LED lighting of a pole doubled on the corner (Price per mb lighting of one pole)	165 zł/mb
» LED power supply (counted 1 pcs. per roof, 1 pcs. per pole)	400 zł/pcs.
» Receiver for lighting - WHITE LED receiver io, with dimmer, 4 channels of LED connection	767 zł/pcs.
» Custom drainage	100 zł/pcs.
» Additional hole in column or beam	50 zł/pcs.
» Additional pole 280mm	1125 zł/pcs.
» Mounting connector OM011 40x100x100**	95 zł/pcs.

*Maximum size of pergola or pergola set 3m x 3m.

** The number of fasteners depends on the width of the pergola, 20 cm from the edge and the spacing of the brackets not more than 150 cm.

WALL MOUNTED FILL LAMELLA PERGOLA

somfy®

	Product	Photo	Price
	Eolis WireFree io - cwind sensor for facade [1816084]		632
	Sunis WireFree II io - solar sensor [1818285]		580
	Eolis io 230V- Wind sensor Eolis z io, Possible rain sensor connections (Ondeis 230V no. Ref. 9016345) [1816091]		754
	Soliris io 230V – solar-wind sensor Possible connection of a rain sensor (Ondeis 230V nr ref. 9016345) [1870531]		988
	Ondeis 230V – rain/snow sensor [9016345] *requires a transmitter to function properly IZYMO		1476
	Transmitter IZYMO transmitter io [1822609]		433

FREESTANDING FILL LAMELLA PERGOLA

- » Construction color : Tiger Anthracite [029/71334], RAL
- » Other colors For a surcharge 10 % lub 20 % [individual pricing of powder]



FREESTANDING FILL LAMELLA PERGOLA

	Width [cm]						
	100	150	200	250	300	350	400
240	13105	14384	16262	17542	19032	20927	22427
260	13584	14942	16929	18290	19862	21866	23452
280	14063	15498	17597	19039	20692	22807	24475
300	14540	16058	18265	19784	21523	23747	25498
320	15019	16617	18932	20532	22355	24687	26521
340	15498	17173	19600	21281	23183	25628	27546
360	15975	17731	20269	22027	24015	26568	28567
380	16454	18291	20935	22774	24846	27507	29592
400	16933	18847	21604	23523	25674	28448	30615
420	17410	19406	22272	24269	26506	29388	31637
440	17889	19964	22938	25017	27336	30327	32661
460	18368	20522	23607	25765	28166	31268	33685
480	18845	21080	24274	26511	28997	32210	34707
500	19824	22606	24941	27260	29828	33148	35731
520	20287	23162	25609	28007	30657	34089	36755
540	22453	24923	27786	30265	32746	36053	38541
560	22928	25479	28456	31016	33577	36998	39552
580	23404	26032	29128	31767	34406	37946	40580
600	23877	26588	29799	32518	35237	38894	41605

Price includes: constructions, feathers, transmission mechanism, handles

Overhang is performed at intervals of every 20 cm.

Height system in the light is at most 280 cm.

DRIVERS

» Elero wired drive	2880/pcs.
» SOMFY Receiver – Pergola Slim receiver io + plug [1811584]	814/pcs.
» Portable remote control Situo 1-channel io II Pure	242/pcs.
» Portable remote control Situo 5-channel io II Pure	384/pcs.
» Portable remote control Situo 1 Var io Pure II	385/pcs.
» Portable remote control Situo 5 Var A/M io Pure II	512/pcs.
» Crank Cardan 45° with ear*	390/pcs.
» Crank Cardan 45° with bell hook*	490/pcs.







SURCHARGES

» LED roof lighting(counted around the perimeter of the roof)	133 zł/mb
» LED lighting of a pole doubled on the corner (Price per mb lighting of one pole)	165 zł/mb
» LED power supply (calculated 1 pcs. on the roof, 1 pcs. on poles)	400 zł/pcs.
» Receiver for lighting - WHITE LED receiver io, with dimmer, 4 LED connection channels	767 zł/pcs.
» Custom drainage	100 zł/pcs.
» Additional hole in column or beam	50 zł/pcs.
» Additional pole 280mm	1125 zł/pcs.

*Maximum dimension of pergola or pergola included 3m x 3m.


FREESTANDING FILL LAMELLA PERGOLA

somfy®

	Product	Photo	Price
	Eolis WireFree io - cwind sensor for facade [1816084]		632
	Sunis WireFree II io - solar sensor [1818285]		580
	Eolis io 230V- Wind sensor Eolis z io, Possible rain sensor connections (Ondeis 230V no. Ref. 9016345) [1816091]		754
	Soliris io 230V – solar-wind sensor Possible connection of a rain sensor (Ondeis 230V nr ref. 9016345) [1870531]		988
	Ondeis 230V – rain/snow sensor [9016345] *requires a transmitter to function properly IZYMO		1476
	Transmitter IZYMO transmitter io [1822609]		433

FILL PERGOLA ROOF

- » Construction color : Tiger Anthracite [029/71334], RAL
- » Other colors For a surcharge 10 % lub 20 % [individual pricing of powder]



FILL PERGOLA ROOF

		Width [cm]						
		100	150	200	250	300	350	400
Height [cm]	240	11105	12384	14262	15542	17032	18927	20427
	260	11584	12942	14929	16290	17862	19866	21452
	280	12063	13498	15597	17039	18692	20807	22475
	300	12540	14058	16265	17784	19523	21747	23498
	320	13019	14617	16932	18532	20355	22687	24521
	340	13498	15173	17600	19281	21183	23628	25546
	360	13975	15731	18269	20027	22015	24568	26567
	380	14454	16291	18935	20774	22846	25507	27592
	400	14933	16847	19604	21523	23674	26448	28615
	420	15410	17406	20272	22269	24506	27388	29637
	440	15889	17964	20938	23017	25336	28327	30661
	460	16368	18522	21607	23765	26166	29268	31685
	480	16845	19080	22274	24511	26997	30210	32707
	500	17824	20606	22941	25260	27828	31148	33731
	520	18287	21162	23609	26007	28657	32089	34755
	540	20453	22923	25786	28265	30746	34053	36541
	560	20928	23479	26456	29016	31577	34998	37552
580	21404	24032	27128	29767	32406	35946	38580	
600	21877	24588	27799	30518	33237	36894	39605	

Price includes: constructions, feathers, transmission mechanism, handles

Overhang is performed at intervals of every 20 cm.

Height system in the light is at most 280 cm.

DRIVERS

» Elero wired drive	2880/pcs.
» SOMFY Receiver – Pergola Slim receiver io + plug [1811584]	814/pcs.
» Portable remote control Situo 1-channel io II Pure	242/pcs.
» Portable remote control Situo 5-channel io II Pure	384/pcs.
» Portable remote control Situo 1 Var io Pure II	385/pcs.
» Portable remote control Situo 5 Var A/M io Pure II	512/pcs.
» Crank Cardan 45° with ear*	390/pcs.
» Crank Cardan 45° with bell hook*	490/pcs.

SURCHARGES

» LED roof lighting(counted around the perimeter of the roof)	133 zł/mb
» LED power supply (calculated 1 pcs. on the roof)	400 zł/pcs.
» Receiver for lighting - WHITE LED receiver io, with dimmer, 4 LED connection channels	767 zł/pcs.
» Custom drainage	100 zł/pcs.
» Additional hole in the beam	50 zł/pcs.
» Mounting connector OM011 40x100x100**	95 zł/pcs.

*Maximum dimension of pergola or pergola included 3m x 3m.

** The number of fasteners depends on the width of the pergola, 20 cm from the edge and the spacing of the brackets no more than 150 cm.

FILL PERGOLA ROOF

somfy®

	Product	Photo	Price
	Eolis WireFree io - cwind sensor for facade [1816084]		632
	Sunis WireFree II io - solar sensor [1818285]		580
	Eolis io 230V- Wind sensor Eolis z io, Possible rain sensor connections (Ondeis 230V no. Ref. 9016345) [1816091]		754
	Soliris io 230V – solar-wind sensor Possible connection of a rain sensor (Ondeis 230V nr ref. 9016345) [1870531]		988
	Ondeis 230V – rain/snow sensor [9016345] *requires a transmitter to function properly IZYMO		1476
	Transmitter IZYMO transmitter io [1822609]		433

STANDARD

**SONO - LAMELL PERGOLA FREESTANDING,
MANUAL + LED**



SONO - LAMELL PERGOLA FREESTANDING, MANUAL + LED

**Pergola color:
PF71044 Structural white**

Overhang [cm]	Width [cm]	
	300	400
300	13824	17067
400	17067	21386

pergola with 4 poles

Lighting: RGB LED COLOR + Remote control

Support: Crank 2 pcs.

Height pergolas: 250 [cm]

**Pergola color:
PG3314 Structural Graphite**

Overhang [cm]	Width [cm]
	300
300	13824
400	17067

pergola with 4 poles

Lighting: RGB LED COLOR + Remote control

Support: Crank 2 pcs.

Height pergolas: 250 [cm]

**Pergola color:
RAL7016 Structured Anthracite**

Overhang [cm]	Width [cm]	
	300	400
300	13824	-
400	-	21386

pergola with 4 poles

Lighting: RGB LED COLOR + Remote control

Support: Crank 2 pcs.

Height pergolas: 250 [cm]

**Pergola color:
RAL7016 Anthracite**

Overhang [cm]	Width [cm]	
	400	580
300	17067*	25937**
400	-	32144**

*pergola with 4 poles

**pergola with 6 poles

Lighting: *RGB LED COLOR + Remote control / **NO LED LIGHTING

Support: *Crank 2 pcs., **Crank 4 pcs.




Height pergolas: 250 [cm]

*Provided Width, Height is the dimension of the terrace.

*Subtract 6cm from the given dimensions - the dimension after subtraction will be the dimension of the structure.

SONO - LAMELL PERGOLA FREESTANDING, MANUAL + LED

LIGHTING LED



Structural elements

Name	Structural beam	Pole	Lamel
Drawing			

**PERGOLA MODERNA - FABRIC WALL MOUNTED, ELEC-
TRIC + LED**



PERGOLA MODERNA – FABRIC WALL MOUNTED, ELEC-TRIC + LED

Pergola color:
RAL7016 Anthracite, Fabric PA1018 Anthracite

Overhang [cm]	Width [cm]
300	400 10226

Control: ENGINE + Remote control

Lighting: LED white

Height pergolas: 245 [cm]

Pergola color:
PG3314 Structural Graphite,
RAL7016 Structured Anthracite,
Fabric PA1018 Anthracite

Overhang [cm]	Width [cm]	
300	300 9298	400 10226
400	-	11363**

Control: ENGINE + Remote control


Lighting: LED white

Height pergolas: 245 [cm]

** Graphite color not available

*Provided Width, Height is the dimension of the terrace.

*Subtract 6cm from the given dimensions - the dimension after subtraction will be the dimension of the structure.



**PERGOLA ESCLUSIVO - FABRIC FREESTANDING, ELECTRIC
+ LED**



PERGOLA ESCLUSIVO – FABRIC FREESTANDING, ELECTRIC + LED

Pergola color:
PG3314 Structural Graphite,
Fabric PA1018 Anthracite

Overhang [cm]	Width [cm]	
	300	400
300	9298	10226
400	-	11363

Control: ENGINE + Remote control

Lighting: LED white

Height pergolas: 230 [cm]

*Provided Width, Height is the dimension of the terrace.

*Subtract 6cm from the given dimensions - the dimension after subtraction will be the dimension of the structure.




Structural elements

Name

Pole

Drawing





www.fill.com.pl